

11-15-00  
**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Kevin R. Driscoll  
Filed: Herewith  
Title: CRYPTOGRAPHIC COMBINER USING TWO SEQUENTIAL NON-ASSOCIATIVE OPERATIONS  
Docket No.: H16-26353

**BOX PATENT APPLICATION**

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir/Madam:

We are transmitting herewith the attached:

- ☒ Transmittal Sheet containing Certificate of Mailing under 37 C.F.R. 1.10 (1 pg.).  
☒ Utility Patent Application under 37 CFR § 1.53(b) comprising:  
☒ Specification (12 pgs.); Claims (1-43); and an Abstract (1 pg.).  
☒ Informal Drawing(s) (2 sheets).  
☐ Formal Drawing(s) ( sheets).  
☒ Signed Combined Declaration, Power of Attorney and Petition (2 pgs.).  
☐ Unsigned Combined Declaration, Power of Attorney and Petition ( pgs.).  
☐ Verified Statement (Declaration) Claiming Small Entity Status-- ( pgs.).  
☒ Assignment of invention to Honeywell International Inc., (1 pg.); Recordation Form Cover Sheet (1 pg.)  
and a Check in the amount of \$40.00 for filing of Assignment Document.  
☐ Check in the amount of \$1,204.00, for the filing fee.  
☐ Other:  
☒ Return postcard.

The filing fee has been calculated below as follows:

	No. Filed	No. Extra	Rate	Fee
TOTAL CLAIMS	43 - 20 =	23	x \$18.00 =	\$414.00
INDEPENDENT CLAIMS	4 - 3 =	1	x \$80.00 =	\$80.00
[ ] MULTIPLE DEPENDENT CLAIMS PRESENTED				\$0.00
BASIC FEE				\$710.00
TOTAL				\$1,204.00

Please consider this a Petition for Extension of Time for a sufficient number of months to enter these papers, if appropriate. The Patent Office is hereby authorized to charge any additional fees or credit overpayment to Deposit Account No. 500471.

HONEYWELL INTERNATIONAL INC.  
Law Department, AB2  
P.O. Box 2245  
Morristown, New Jersey 07962-9806

By: *Patrick G. Billig*  
Name: Patrick G. Billig  
Reg. No.: 38,080

**CERTIFICATE UNDER 37 C.F.R. 1.10:**

"Express Mail" mailing label number: EL546309755US  
Date of Deposit: November 14, 2000

The undersigned hereby certifies that this paper or papers, as described herein, are being deposited in the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to: Box Patent Application, Assistant Commissioner for Patents, Washington, D.C. 20231.

By: *Christine M. Welter*  
Name: Christine M. Welter

## CRYPTOGRAPHIC COMBINER USING TWO SEQUENTIAL NON-ASSOCIATIVE OPERATIONS

5

### The Field of the Invention

The present invention generally relates to cryptosystems, and more particularly relates to private-key stream cipher cryptosystems which combine a keystream with plaintext to encrypt the plaintext into ciphertext and combine the  
10 ciphertext with a keystream to decipher the ciphertext into plaintext.

### Background of the Invention

Cryptosystems perform cryptography to transform plaintext into ciphertext so that only an authorized receiver can transform the ciphertext back  
15 into the original plaintext. Encryption or enciphering is the process that transforms plaintext into ciphertext. Decryption or deciphering is the process that transforms ciphertext into plaintext.

A parameter called an encryption key is employed by a cryptosystem to prevent the plaintext from being easily revealed by an unauthorized person. A  
20 sender transforms a given plaintext into one of a large variety of possible ciphertexts selected by the specific encryption key. A receiver of the ciphertext deciphers the ciphertext by employing a parameter referred to as a decryption key. In a public-key cryptosystem, the encryption key is made public while the decryption key is kept secret. Therefore, in public key cryptosystems, the  
25 decryption key must be computationally infeasible to deduce from the encryption key. In a private-key cryptosystem, the sender and the receiver typically share a common key that is used for both enciphering and deciphering. In such a private-key cryptosystem, the common key is alterable and must be kept secret.

30 Private-key cryptosystems are typically implemented as block cipher cryptosystems or stream cipher cryptosystems. Block cipher cryptosystems divide the plaintext into blocks and encipher each block independently using a

stateless transform. In block cipher cryptosystems, if one fixed common private-key is employed to encipher different occurrences of a particular plaintext block, all of these occurrences are encrypted into identical corresponding ciphertext blocks. Therefore, the block size is preferably selected to be large enough to  
 5 frustrate attacks from a cryptanalyst, which analyzes the occurrence frequencies of various patterns among the ciphertext blocks. Example block sizes are 64 bits and 128 bits.

In stream cipher cryptosystems, the plaintext is typically encrypted on a bit-by-bit or word-by-word basis using a stateful transform that evolves as the  
 10 encryption progresses. In encrypting the plaintext binary data sequence for transmission as a ciphertext binary data sequence, the common private-key is a parameter that typically controls a pseudo-random number generator to create a long sequence of binary data referred to as a keystream. The stream cipher cryptosystem includes a cryptographic combiner, which combines the keystream  
 15 with the plaintext sequence. The cryptographic combiner is typically implemented with exclusive-or (XOR) bit-wise logic gates, which perform bit-wise modulo-2 addition. The cryptographic combiner produces the ciphertext. At the receiver, the common private-key controls a receiver pseudo-random number generator to produce a decryption keystream. The decryption keystream  
 20 is combined with a decryption combiner to decrypt the ciphertext to provide the plaintext to the receiver.

One problem with stream cipher cryptosystems is the difficulty of generating a long, statistically uniform, and unpredictable sequence of binary data in the keystream from a short and random key. Such sequences are  
 25 desirable in the keystream in cryptography to make it impossible, given a reasonable segment of its data and sufficient computer resources, to find out more about the sequences. Because of the difficulty in producing sequences that are completely unpredictable, it is desirable to have a combiner that reveals as little as possible about the keystream to an adversary having knowledge of the  
 30 plaintext corresponding to some ciphertext (a so called "known plaintext attack").

There are four general requirements for cryptographically secure keystream pseudo-random number generators. First, the period of a keystream must be large enough to accommodate the length of the transmitted message. Second, the keystream output bits must have good statistical properties (e.g. values are uniformly distributed). Third, the keystream output bits must be easy to generate. Fourth, the keystream output bits must be hard to predict. For example, given the pseudo-random number generator and the first  $N$  output bits,  $a(0), a(1), \dots, a(N-1)$ , it should be computationally infeasible to predict the  $(N+1)^{\text{th}}$  bit  $a(N)$  in a sequence with better than a 50-50 chance. In otherwords, a cryptanalyst should not be able to generate other forward bits or backward bits if presented with a given portion of the keystream output sequence.

The receiver decryption combiner operation must be the inverse of the sender encryption combiner. The most common combiner operation is bit-wise XOR. One problem with the XOR combiner operation is that, if some or all of the plaintext of a message is known, the known plaintext can be combined with the associated ciphertext to reveal all or part of the keystream. This could enable one to read other messages sent under the same key, or to forge ciphertext messages that will decrypt to whatever plaintext is desired by an adversary. A second problem with the XOR combiner operation is that an accidental double encryption causes all of the plaintext to become visible. Another problem with the XOR combiner operation is that two ciphertexts using the same key can be XORed together by a cryptanalyst to eliminate the keystream and leave the XOR of two plaintexts. The low entropy of languages, such as the English language, allows for the XOR of two plaintexts to be resolved into its two original plaintext messages. Furthermore, if the keystream period is smaller than a message, this type of cryptanalysis also can be performed by dividing a ciphertext message into portions the size of the keystream and XORing the portions together to eliminate the keystream and leave the XOR of the plaintext portions.

Another problem with the XOR combiner operation is that it allows an adversary to manipulate the contents of the message with only trivial information about its structure. If an adversary wants to change some bit(s) in the received

plaintext, all that need be done is to intercept the ciphertext message, invert the ciphertext bit(s) corresponding to the plaintext bit(s) the adversary wants to change, and then send the message on to the receiver. The only knowledge that an adversary needs is the location within the message of the bit(s) to be changed.

Similar problems as those discussed above exist in all linear combiners, although typically not as severe as in an XOR combiner. Some very complex cryptographic combiners solve some of the above-problems. These very complex cryptographic combiners are, however, quite expensive in terms of time and/or hardware resources. One example cryptographic combiner in this very complex category is a permutation table combiner. The permutation table is required to have a table the size of the plaintext alphabet. For example, if the plaintext unit size is 32 bits, the permutation table needs to be 16 gigabytes. On the other hand, if the plaintext unit size is 8 bits, the permutation table size is only required to be 256 bytes, but encrypting 8 bit plaintext units is typically 4 times slower than using 32 bit plaintext units. In addition, the smaller plaintext unit size limits the amount of plaintext diffusion. Plaintext diffusion means that plaintext bits can affect the encryption of other plaintext bits. Diffusion is desirable because it makes cryptanalysis more difficult. The XOR combiner operation has no plaintext diffusion.

For reasons stated above and for other reasons presented in greater detail in the Description of the Preferred Embodiments section of the present specification, a cryptographic combiner is desired for stream cipher cryptosystems wherein known plaintext can not be combined with associated ciphertext to reveal the keystream, and wherein accidental double encryption does not remove the keystream from the combined output bits. In addition, there is a need for a cryptographic combiner where the same keystream cannot be used to combine two ciphertext to eliminate the keystream and leave the combiner operation of the two original plaintext messages. Such a desired cryptographic combiner should be relatively inexpensive in time and hardware resources.

### **Summary of the Invention**

The present invention provides a stream cipher cryptosystem including a keystream generator receiving a key and providing a keystream. The stream cipher cryptosystem also includes a cryptographic combiner receiving a first binary data sequence and the keystream. The cryptographic combiner performs two sequential non-associative operations on the first binary data sequence and the keystream to provide a second binary data sequence.

In encryption operations, the cryptographic combiner is an encryption combiner and the first binary data sequence is a plaintext binary data sequence and the second binary data sequence is a ciphertext binary data sequence. In decryption operations, the cryptographic combiner is a decryption combiner and the first binary data sequence is a ciphertext binary data sequence and the second binary data sequence is a plaintext binary data sequence.

In one embodiment, the two sequential non-associative operations are integer addition and XOR. In another embodiment, the two sequential non-associative operations are integer subtraction and XOR. Other embodiments employ other non-associative operations, including modular multiplication and XOR, inverse modular multiplication and XOR, rotate right and XOR, and rotate left and XOR.

In one form of the present invention, a stream cipher cryptosystem includes an encryption pseudo-random number generator receiving a key and providing an encryption keystream. An encryption combiner receives a first plaintext binary data sequence and the encryption keystream. The encryption combiner performs a first set of two non-associative operations on the first plaintext binary data sequence and the encryption keystream to provide a ciphertext binary data sequence. A decryption pseudo-random number generator receives the key and provides a decryption keystream. A decryption combiner receives the ciphertext binary data sequence and the decryption keystream. The decryption combiner performs a second set of two non-associative operations on the ciphertext binary data sequence and the decryption keystream to provide a second plaintext binary data sequence substantially similar to the first plaintext binary data sequence. In this form of the present invention, each operation in the

second set is the inverse of an operation in the first set and the operations in the second set are performed in the reverse order of the operation in the first set.

The stream cipher cryptosystem according to the present invention includes a cryptographic combiner using two sequential non-associative operations wherein known plaintext can not be combined with associated ciphertext to reveal the keystream, and wherein accidental double encryption does not remove the keystream from the combined output bits. In the cryptographic combiner operation according to the present invention, combining two ciphertexts does not eliminate the keystream and leave a combination of the two original plaintext messages. Nevertheless, the cryptographic combiner operation according to the present invention requires a minimal increase of resources over conventional XOR and other linear combiner operations.

#### **Brief Description of the Drawings**

Figure 1 is a block diagram of a cryptosystem according to the present invention.

Figure 2 is one embodiment of a cryptosystem's combiners according to the present invention.

#### **Description of the Preferred Embodiments**

In the following detailed description of the preferred embodiments, reference is made to the accompanying drawings, which form a part hereof, and in which is shown by way of illustration specific embodiments in which the invention may be practiced. It is to be understood that other embodiments may be utilized and structural or logical changes may be made without departing from the scope of the present invention. The following detailed description, therefore, is not to be taken in a limiting sense, and the scope of the present invention is defined by the appended claims.

A private-key stream cipher cryptosystem according to the present invention is illustrated generally at 20 in Figure 1 in block diagram form.

Stream cipher cryptosystem 20 includes a sender 22, such as a computer system, and a receiver 42, such as a computer system.

Sender 22 includes a pseudo-random number generator 24 and an encryption combiner 26. Pseudo-random number generator 24 receives a private-key 32, which controls pseudo-random number generator 24 to produce an encryption keystream 28 to be provided to encryption combiner 26. In the embodiment illustrated in Figure 1, an initialization vector 34 is also provided to pseudo-random number generator 24 to ensure that encryption keystream 28 is not the same even if the same private-key 32 is used to control pseudo-random number generator 24 for multiple messages. Initialization vector 34 can be embodied as a sequence number to ensure that every message that is encrypted is slightly different.

Plaintext 30 is also provided to encryption combiner 26. Plaintext 30 is a binary data sequence. Encryption combiner 26 combines plaintext 30 and encryption keystream 28 to form ciphertext 36, which is also a binary data sequence.

Receiver 42 includes pseudo-random number generator 44 and decryption combiner 46. Pseudo-random number generator 44 receives private-key 32', which is the same private-key as the private-key 32. Pseudo-random number generator 44 is controlled by private-key 32' to produce keystream 48, which is provided to decryption combiner 46. In the embodiment illustrated in Figure 1, an initialization vector 34', which is the same initialization vector as initialization vector 34, is provided to pseudo-random number generator 44 to ensure that decryption keystream 48 is identical to encryption keystream 28 for a given private key 32/32' and initialization vector 34/34'.

Decryption combiner 46 receives ciphertext 36 and combines ciphertext 36 with decryption keystream 48 to produce plaintext 30', which is a binary data sequence that substantially matches plaintext 30.

There are many known pseudo-random number generators that are suitable for pseudo-random number generator 24 and pseudo-random number generator 44. As mentioned in the Background of the Invention section of the present specification, pseudo-random number generators 24 and 44 should have



the following general characteristics to produce cryptographically secure keystreams 28 and 48. First, the period of a keystream must be large enough to accommodate the length of the transmitted message. Second, the keystream output bits must be easy to generate. Third, the keystream output bits must be hard to predict.

One embodiment of a portion of a cryptosystem according to the present invention is illustrated generally at 120 in Figure 2. Cryptosystem 120 includes a pair of cryptographic combiners 126 and 146, each configured to perform two sequential non-associative operations. Combiner 126 performs first encryption operation 126A and then second encryption operation 126B. Combiner 146 performs first decryption operation 146A and then second decryption operation 146B. In one embodiment, encryption combiner 126 performs an integer addition operation, which is represented by second encryption operation 126B, and an XOR operation, which is represented by first encryption operation 126A. Correspondingly, in this embodiment, decryption combiner 146 performs an XOR operation, which is represented by second decryption operation 146B, and an integer subtraction operation, which is represented by first decryption operation 146A. The integer subtraction operation is an inverse of the integer addition operation, and the XOR operation is its own inverse. The encryption operation performed by one embodiment of combiner 126 is represented mathematically by the following Equation I:

Equation I

$$c = (p \wedge k1) + k2$$

wherein:

- c represents a unit of ciphertext, such as ciphertext 136;
- p represents a unit of plaintext, such as plaintext 130;
- $\wedge$  represents an XOR operation;
- k1 represents a first unit of an encryption keystream, such as encryption keystream 128; and
- k2 represents a second unit of the encryption keystream, such as encryption keystream 128.

As indicated by Equation I, one embodiment of combiner 126 first performs an XOR operation on plaintext 130 and a first unit (k1) of encryption keystream 128, and then adds the result with a second unit (k2) of encryption keystream 128 to produce ciphertext 136. Alternatively, in one embodiment  
 5 combiner 126 performs the integer addition operation first, followed by the XOR operation, to produce ciphertext 136.

The operations in the above encryption Equation I are non-associative, such that  $(p \wedge k1) + k2 \neq p \wedge (k1 + k2)$ .

The decryption operation performed by one embodiment of combiner  
 10 146 is represented mathematically by the following Equation II:

Equation II

$$p = (c - k2) \wedge k1$$

wherein:

p represents a unit of plaintext, such as plaintext 130';

15 c represents a unit of ciphertext, such as ciphertext 136;

$\wedge$  represents an XOR operation;

k1 represents a first unit of a decryption keystream, such as decryption  
 keystream 148; and

20 k2 represents a second unit of the decryption keystream, such as  
 decryption keystream 148.

As indicated by Equation II, one embodiment of combiner 146 first subtracts a second unit (k2) of decryption keystream 148 from ciphertext 136, and performs an XOR operation on the result and a first unit (k1) of decryption keystream 148 to produce plaintext 130'. Alternatively, if combiner 126 is  
 25 implemented in an embodiment that performs the integer addition operation first, followed by the XOR operation, combiner 146 is correspondingly implemented in an embodiment that performs the XOR operation first, followed by the integer subtraction operation.

The operations in the above decryption Equation II are non-associative,  
 30 such that  $(c - k2) \wedge k1 \neq c - (k2 \wedge k1)$ .

Decryption keystream 148 is identical to keystream 128. Plaintext 130' is substantially similar to plaintext 130.

In an alternative embodiment of a portion of a cryptosystem according to the present invention, encryption combiner 126 performs an integer subtraction operation, represented by second encryption operation 126B, and an XOR operation, represented by first encryption operation 126A. Correspondingly, in this embodiment, decryption combiner 146 performs an integer addition operation, represented by first decryption operation 146A, and an XOR operation, represented by second decryption operation 146B.

The encryption operation performed by one embodiment of combiner 126 is represented mathematically by the following Equation III:

Equation III

$$c = (p \wedge k1) - k2$$

wherein:

c represents a unit of ciphertext, such as ciphertext 136;

p represents a unit of plaintext, such as plaintext 130;

$\wedge$  represents an XOR operation;

k1 represents a first unit of an encryption keystream, such as encryption keystream 128; and

k2 represents a second unit of the encryption keystream, such as encryption keystream 128.

As indicated by Equation III, one embodiment of combiner 126 first performs an XOR operation on plaintext 130 and a first unit (k1) of encryption keystream 128, and then a second unit (k2) of encryption keystream 128 is subtracted from the result of the XOR operation to produce ciphertext 136. Alternatively, one embodiment of combiner 126 performs the integer subtraction operation first, followed by the XOR operation, to produce ciphertext 136.

The operations in the above encryption Equation III are non-associative, such that  $(p \wedge k1) - k2 \neq p \wedge (k1 - k2)$ .

The decryption operation performed by one embodiment of combiner 146 is represented mathematically by the following Equation IV:

Equation IV

$$p = (c + k2) \wedge k1$$

wherein:

p represents a unit of plaintext, such as plaintext 130';  
c represents a unit of ciphertext, such as ciphertext 136;  
^ represents an XOR operation;

k1 represents a first unit of a decryption keystream, such as decryption  
5 keystream 148; and  
k2 represents a second unit of the decryption keystream, such as  
decryption keystream 148.

As indicated by Equation IV, one embodiment of combiner 146 first adds  
a second unit (k2) of decryption keystream 148 to ciphertext 136, and performs  
10 an XOR operation on the result of the addition operation and the first unit (k1) of  
decryption keystream 148 to produce plaintext 130'. Alternatively, if combiner  
126 is implemented in an embodiment that performs the integer subtraction  
operation first, followed by the XOR operation, combiner 146 is correspondingly  
implemented in an embodiment that performs the XOR operation first, followed  
15 by the integer addition operation.

The operations in the above decryption Equation IV are non-associative,  
such that  $(c + k2) \wedge k1 \neq c + (k2 \wedge k1)$ .

Decryption keystream 148 is identical to keystream 128. Plaintext 130' is  
substantially similar to plaintext 130.

20 With one of the operations performed by combiner 126, such as the  
integer addition operation or the integer subtraction operation, involving carry or  
borrow into succeeding more significant bits, plaintext diffusion is provided.  
It is desired to have a carry or borrow possible for each bit position, because the  
carry or borrow produces diffusion among the plaintext bits. Plaintext diffusion  
25 means that plaintext bits can affect the encryption of other plaintext bits.

In addition to the non-associative operations discussed above (e.g.,  
integer addition and XOR, and integer subtraction and XOR), other non-  
associative operations can be used in the combiner operation of the present  
invention. For example, modular multiplication and XOR can be used. As  
30 another example, either a rotate left (a specified number of bits) or a rotate right  
(a specified number of bits) operation can be used in conjunction with an XOR  
operation. The inverse of these operations is then used for decryption.

It should be noted that the above-block diagram of Figure 2 is for illustrative purposes only and that the combiner according to the present invention can be implemented in either hardware or software.

A cryptosystem according to the present invention, such as cryptosystems 20 and 120, employs cryptographic combiners that overcome problems with XOR and other linear combiners as discussed in the Background of the Invention section of the present specification. For example, known plaintext cannot be combined with associated ciphertext to reveal the keystream, and accidental double encryption does not remove the keystream. A complete message cannot be forged, and only the most significant bit of each encrypted unit is vulnerable. Similarly, adding multiple identically keyed messages together with the combiner operation according to the present invention does not remove a substantial amount of key, only the least significant bit of each encrypted unit is revealed. Since each combiner operation according to the present invention is substantially the same complexity as the XOR and other linear combiner operations, there is not the extensive expense in time, hardware and/or software resources of conventional very complex combiner operations.

Although specific embodiments have been illustrated and described herein for purposes of description of the preferred embodiment, it will be appreciated by those of ordinary skill in the art that a wide variety of alternate and/or equivalent implementations calculated to achieve the same purposes may be substituted for the specific embodiments shown and described without departing from the scope of the present invention. Those with skill in the mechanical, electro-mechanical, electrical, and computer arts will readily appreciate that the present invention may be implemented in a very wide variety of embodiments. This application is intended to cover any adaptations or variations of the preferred embodiments discussed herein. Therefore, it is manifestly intended that this invention be limited only by the claims and the equivalents thereof.

WHAT IS CLAIMED IS:

1. A stream cipher cryptosystem comprising:  
a source for providing an encryption keystream;  
5 an encryption combiner receiving a first plaintext binary data sequence and the encryption keystream and performing a first set of two non-associative operations on the first plaintext binary data sequence and the encryption keystream to provide a ciphertext binary data sequence;  
a source for providing a decryption keystream; and  
10 a decryption combiner receiving the ciphertext binary data sequence and the decryption keystream and performing a second set of two non-associative operations on the ciphertext binary data sequence and the decryption keystream to provide a second plaintext binary data sequence substantially similar to the first plaintext binary data sequence.
- 15 2. The stream cipher cryptosystem of claim 1 wherein each operation in the second set is the inverse of an operation in the first set.
3. The stream cipher cryptosystem of claim 1 wherein the operations in the first set include an integer addition operation and an XOR operation, and the operations in the second set include an integer subtraction operation and an XOR operation.  
20
4. The stream cipher cryptosystem of claim 1 wherein the operations in the first set include an integer subtraction operation and an XOR operation, and the operations in the second set include an integer addition operation and an XOR operation.  
25
5. The stream cipher cryptosystem of claim 1 wherein the operations in the first set include a modular multiplication operation and an XOR operation, and the operations in the second set include an inverse modular multiplication operation and an XOR operation.  
30

6. The stream cipher cryptosystem of claim 1 wherein the operations in the first set include an inverse modular multiplication operation and an XOR operation, and the operations in the second set include a modular multiplication operation and an XOR operation.
7. The stream cipher cryptosystem of claim 1 wherein the operations in the first set include a rotate right operation and an XOR operation, and the operations in the second set include a rotate left operation and an XOR operation.
8. The stream cipher cryptosystem of claim 1 wherein the operations in the first set include a rotate left operation and an XOR operation, and the operations in the second set include a rotate right operation and an XOR operation.
9. A stream cipher cryptosystem comprising:  
a source for receiving a key and providing a keystream; and  
a cryptographic combiner receiving a first binary data sequence and the keystream and performing two sequential non-associative operations on the first binary data sequence and the keystream to provide a second binary data sequence.
10. The stream cipher cryptosystem of claim 9 wherein the cryptographic combiner is an encryption combiner and the first binary data sequence is a plaintext binary data sequence and the second binary data sequence is a ciphertext binary data sequence.
11. The stream cipher cryptosystem of claim 9 wherein the cryptographic combiner is a decryption combiner and the first binary data sequence is a ciphertext binary data sequence and the second binary data sequence is a plaintext binary data sequence.

12. The stream cipher cryptosystem of claim 9 wherein the two sequential non-associative operations are an integer addition operation and an XOR operation.
- 5 13. The stream cipher cryptosystem of claim 9 wherein the two sequential non-associative operations are an integer subtraction operation and an XOR operation.
14. The stream cipher cryptosystem of claim 9 wherein the two sequential non-associative operations are a modular multiplication operation and an XOR operation.
15. The stream cipher cryptosystem of claim 9 wherein the two sequential non-associative operations are an inverse modular multiplication operation and an XOR operation.
16. The stream cipher cryptosystem of claim 9 wherein the two sequential non-associative operations are a rotate right operation and an XOR operation.
- 20 17. The stream cipher cryptosystem of claim 9 wherein the two sequential non-associative operations are a rotate left operation and an XOR operation.
18. A method of encrypting a plaintext binary data sequence, the method comprising the steps of:
- 25 generating an encryption keystream as a function of a key; and  
combining the plaintext binary data sequence and the encryption keystream with two non-associative operations to provide a ciphertext binary data sequence.
- 30 19. The method of claim 18 wherein the two non-associative operations include an integer addition operation.



20. The method of claim 19 wherein the two non-associative operations include an XOR operation.
21. The method of claim 18 wherein the two non-associative operations include an integer subtraction operation.
22. The method of claim 21 wherein the two non-associative operations include an XOR operation.
23. The method of claim 18 wherein the two non-associative operations include a modular multiplication operation.
24. The method of claim 23 wherein the two non-associative operations include an XOR operation.
25. The method of claim 18 wherein the two non-associative operations include an inverse modular multiplication operation.
26. The method of claim 25 wherein the two non-associative operations include an XOR operation.
27. The method of claim 18 wherein the two non-associative operations include a rotate right operation.
28. The method of claim 27 wherein the two non-associative operations include an XOR operation.
29. The method of claim 18 wherein the two non-associative operations include a rotate left operation.
30. The method of claim 29 wherein the two non-associative operations include an XOR operation.

31. A method of decrypting a ciphertext binary data sequence, the method comprising the steps of:

generating a decryption keystream as a function of a key; and

5 combining the ciphertext binary data sequence and the decryption keystream with two non-associative operations to provide a plaintext binary data sequence.

32. The method of claim 31 wherein the two non-associative operations  
10 include an integer addition operation.

33. The method of claim 32 wherein the two non-associative operations include an XOR operation.

15 34. The method of claim 31 wherein the two non-associative operations include an integer subtraction operation.

35. The method of claim 34 wherein the two non-associative operations include an XOR operation.

20 36. The method of claim 31 wherein the two non-associative operations include a modular multiplication operation.

37. The method of claim 36 wherein the two non-associative operations  
25 include an XOR operation.

38. The method of claim 31 wherein the two non-associative operations include an inverse modular multiplication operation.

30 39. The method of claim 38 wherein the two non-associative operations include an XOR operation.

40. The method of claim 31 wherein the two non-associative operations include a rotate right operation.

41. The method of claim 40 wherein the two non-associative operations include an XOR operation.

42. The method of claim 31 wherein the two non-associative operations include a rotate left operation.

43. The method of claim 42 wherein the two non-associative operations include an XOR operation.

**CRYPTOGRAPHIC COMBINER USING TWO SEQUENTIAL  
NON-ASSOCIATIVE OPERATIONS**

5                    **Abstract of the Disclosure**

A stream cipher cryptosystem includes a keystream generator receiving a key and providing a keystream. A cryptographic combiner combines a first binary data sequence and the keystream with two non-associative operations to provide a second binary data sequence. In encryption operations, the cryptographic combiner is an encryption combiner and the first binary data sequence is a plaintext binary data sequence and the second binary data sequence is a ciphertext binary data sequence. In decryption operations, the cryptographic combiner is a decryption combiner and the first binary data sequence is a ciphertext binary data sequence and the second binary data sequence is a plaintext binary data sequence.

10

15

"Express Mail" mailing label number: EL 5416309755US  
Date of Deposit: November 14, 2000  
I hereby certify that this paper of fee is being deposited with the  
United States Postal Service "Express Mail Post Office to Addresses"  
service under 37 CFR 1.10 on the date indicated above and is  
addressed to the Assistant Commissioner for Patents,  
Washington, D.C. 20231  
Printed Name: Christine M. Wecker  
Signature: Christine M. Wecker




Fig. 1




Fig. 2

## DECLARATION, POWER OF ATTORNEY, AND PETITION

Being duly sworn, I, a below-named inventor, depose and say that: (1) my residence, citizenship, and mailing address is indicated below; (2) I have reviewed and understand the contents of attached specification, including the claims, as amended by any amendment specifically referred to herein, (3) I believe that I am the original, first, and sole inventor or discoverer of the invention or discovery in

### CRYPTOGRAPHIC COMBINER USING TWO SEQUENTIAL NON-ASSOCIATIVE OPERATIONS

described and claimed therein and for which a patent is sought; and (4) I hereby acknowledge my duty to disclose to the Patent and Trademark Office all information known to me to be material to the patentability as defined in Title 37, Code of Federal Regulations, 1.56.\*


I hereby appoint John G. Shudy, Jr. (Reg. No. 31,214); Steven E. Dicke (Reg. No. 38,431), Patrick G. Billig (Reg. No. 38,080), Timothy A. Czaja (Reg. No. 39,649), Thomas A. Rendos (Reg. No. 33,349); Michael R. Binzak (Reg. No. 38,081); Scott A. Lund (Reg. No. 41,166), William M. Hienz III (Reg. No. 37,069); and Jeffrey A. Holmen (Reg. No. 38,492) as my attorneys with full powers (including the powers of appointment, substitution, and revocation) to prosecute this application and any division, continuation, continuation-in-part, reexamination, or reissue thereof, and to transact all business in the Patent and Trademark Office connected therewith.

Please direct all correspondence in this case to:

Customer Number Address Code 000128

The undersigned petitioner declares further that all statements made herein of his own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Wherefore, I pray for grant of Letters Patent for the invention or discovery described and claimed in the attached specification and I hereby subscribe my name to the foregoing specification and claims, oath, power of attorney, and this petition, on the day set forth below.

 11/14/2000  
Kevin R. Driscoll Date  
Residence: 7249 West Timber Lane  
Maple Grove, Minnesota 55369-5222  
Citizenship: United States of America

### §1.56 Duty to disclose information material to patentability.

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§ 1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

(1) prior art cited in search reports of a foreign patent office in a counterpart application, and  
(2) the closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

(1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or

(2) It refutes, or is inconsistent with, a position the applicant takes in:

(i) Opposing an argument of unpatentability relied on by the Office, or

(ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

(1) Each inventor named in the application;

(2) Each attorney or agent who prepares or prosecutes the application; and

(3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.

(d) Individuals, other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.